

Please post / share this communication within 24 hours in your department/unit.

## Repeat Notice

### ❖ Changes to Orders and IView Restraint Documentation (Effective 11/20/2017)

Following changes were made to the Restraint Iview documentation and Restraint orders within the “Restraint for Non Violent Behavior” and “Restraint for Violent Behavior” powerplans in order to capture accurate documentation.

1. The “Request Start Date and Time” field will represent the documented date and time. The “Time Order Received” field will be removed.
2. The option for “Mitts and Ties” as a restraint type will be changed to “Mitts”

Details for **Restraint for Non-Violent Behavior**

Requested Start Date and Time: \*\*/\*\*/\*\*\*\* CST

\*Restraint Justification: [Yellow dropdown]

\*Restraint Type: [Yellow dropdown]

- Enclosed bed
- 4 Side rails
- Limb
- Mitt
- Vest
- Waist

Special Instructions: [Text area]

3. The option for “Mitts and Ties” as a restraint type will be changed to “Mitts” in the Iview documentation as well.

Non-Violent Restraints

Restraint Type [Yellow dropdown]

- 4 side rails
- Enclosed bed
- Limb
- Mitts
- Vest
- Waist
- Other

For Questions contact Paul Abegglen at [Paul.Abegglen@ascension.org](mailto:Paul.Abegglen@ascension.org) or Anagha Kulkarni @ [Anagha.kulkarni@ascension.org](mailto:Anagha.kulkarni@ascension.org)

❖ **Streptozyme inactivated** (November 27, 2017)

- Lab Orderable will be inactive due to kit manufacturing. November 27, 2017
- Providers can continue to order Anti DNase B and Antistreptolysin O (ASO) to aid in diagnosing post streptococcal diseases (e.g., rheumatic fever or glomerulonephritis).
- These tests are only useful in cases where an acute diagnosis of *Streptococcus pyogenes* (Group A) was not previously established.